

ELKA Products

Barrier systems




ELKA offers a selection of barrier types with different effective boom lengths and running times as well as suitable accessories for different purposes. For access control of parking garages/car parks, industrial entrances, toll stations or entrances without mains connection. We are pleased to support you in planning and implementing your projects.




Housings made of aluminium

The perfect addition with plenty of space for additional fittings.




Articulation kit

As a set or pre-assembled up to max. clearance height 2,600mm.



LED boom lighting

Uniform illumination of the entire barrier boom length.



Folding skirts and folding top and bottom skirts

Pre-assembled for on-site installation.



Magnetic lock

Powerful vandalism protection with max. 2,500N magnetic force.




Laser scanner

Efficient protection of persons and vehicles during barrier operation.

Contact us - we will be pleased to advise you!

Slide gate openers



ELKA offers a selection of slide gate openers such as the classic slide gate opener, the elegant pillar drive, the professional slide gate opener portal, the slide gate opener with frequency converter controller or the drive assembly for gateposts on site. We are pleased to support you in planning and implementing your projects.




Drive assemblies

Pre-wired for gateposts on site.



Toothed wheels

Made of galvanized steel (module 4, 6) or plastic (module 4, 5)



Toothed racks

Height adjustable/to be screwed on the gate (module 4, 5), to be welded on the gate (module 6).



Safety contact profiles

Activation at 19mm or 41mm compression, optionally with end cap.



Photoelectric barriers

Surface mounting with optional housing, flush mounting incl. 4m lead.



Traffic and flashing lights

LED and round flashing lights, traffic lights with 250 or 600-850 Lumen.

Contact us - we will be pleased to advise you!

Swing gate openers



ELKA offers a selection of swing gate openers such as the linear-rack gate opener, the waterproofed underfloor gate opener or the gate opener with articulated arm. We are pleased to support you in planning and implementing your projects.



Electromagnetic bolts

Stroke 15mm or 50mm, with stainless steel pin.



Motor lock

Stroke max. 150mm, complete with lock controller MO 90.



Magnetic lock

In an aluminum housing, attraction force approx. 3,000N.



Variable arms

For underfloor gate opener and gate opener with articulated arm (extra long, straight with U-rail).



Photoelectric barriers

Surface mounting with optional housing, flush mounting incl. 4m lead.



Traffic and flashing lights

LED and round flashing lights, traffic lights with 250 or 600-850 Lumen.

Contact us - we will be pleased to advise you!