VRM & PLX

ENTRY PANEL WITH KEYPAD RECEIVER

Surface kit shown - includes rainshield

CONTENTS

- Audio-video module for X1 System
- One piece faceplate with one to ten buttons and keypad
- Frame with two- or three-module profile
- X1 control module and power supply
- Video receiver with 3.5" colour LCD display
- Maximum cable distance 100m

IP54 IK09 CABLE P170 DIAGRAM 7

KITS

Buttons/Way	Mounting	Modules	Kit Code	
1 WAY	Flush	3	VRMFKPLV1	
	Surface		**VRMSKPLV1**	
2 WAY	Flush		VRMFKPLV2	
	Surface		**VRMSKPLV2**	
3 WAY	Flush		VRMFKPLV3	
	Surface		**VRMSKPLV3**	
4 WAY	Flush		VRMFKPLV4	
	Surface		**VRMSKPLV4**	
5 WAY	Flush		VRMFKPLV5	
	Surface		**VRMSKPLV5**	
6 WAY	Flush		VRMFKPLV6	
	Surface		**VRMSKPLV6**	
7 WAY	Flush	4	VRMFKPLV7	
	Surface		**VRMSKPLV7**	
8 WAY	Flush		VRMFKPLV8	
	Surface		**VRMSKPLV8**	
9 WAY	Flush		VRMFKPLV9	
	Surface		**VRMSKPLV9**	
10 WAY	Flush		VRMFKPLV10	
	Surface		**VRMSKPLV10**	

Item	Description	Code	
PLX Video	Video intercom	**PLX V (840CH-0110)**	

LASER ENGRAVING
Customised laser engraving requires up to 5 days lead time (maximum).



SURFACE KITS
Include rainshield.



FLUSH KITS
Include back box.



VRM

FLAT PLATE WITH UK MANUFACTURED BUTTONS

COMPATIBLE SYSTEMS

X1 · XiP · IP360 · GSM · 200

DIGITAL DIALING

The digital display allows a phone book with up to 7200 names to be displayed. During the programming phase you can choose the most appropriate search mode based on the number of users, a scrolling list or an alphabetical block search.

PUSH BUTTON COMPOSITION

On the call module, you can customise the amount of buttons required. Using UK manufactured push buttons, you can achieve maximum button composition flexibility.

ACCESS CONTROL

The VRM range can accommodate the MTM VR keypad unit for standalone access control as well as the unique 'Universal reader bracket' able to house most types of common proximity access control reader.

A key feature of VRM is the durability and strength of the materials. It uses the same electronic modules and easy to fit functionality as the standard MTM however, it uses an IK09 rated vandal resistant marine grade stainless steel manufactured in the UK.

Vandal resistant entry panels are available in a number of finishes such as Stainless Steel, Highly Polished Steel, Brass and can be custom powder coated in any RAL colour of your choice.

IK09

VISUAL ANGLE



FEATURES

The benefits of MTM VR plus:

- Bespoke finishes
- Laser engraving
- Unmatched video quality
- IP65 rated bespoke buttons
- Manufactured in the UK
- Impact & water resistant
- Custom sizes

DIMENSIONS



CAME

PLX V

HANDS-FREE VIDEO MONITOR WITH 5" LCD DISPLAY

COMPATIBLE SYSTEMS

X1 · XiP · IP360

Surface mount only
Thickness 31 mm

Video version

5″ Display

Handsfree

PLX is our range of hands-free audio or audio/video entry receivers with a hi-performance speaker that provides loud ringtone as well as crisp audio Where video is an option for the system, a 5” colour display creates crystal clear images from the entry panel feed. PLX is an elegant receiver which combines minimalism and functionality. Matt white finish, a sleek streamlined shape, and only 25 mm thickness for the video version.

FEATURES

Soft touch buttons

Ringtone adjustment

Latch function

Automatic door opener

5 Aux

8 intercoms

5” display

AVAILABLE VERSIONS

Video version

DIMENSIONS